



## The challenges of mobile robot security

13 July 2020, 02:00

Véronique Dossogne

Manufacturing companies believe that optimising internal logistics operations is an important lever for maintaining competitiveness. In a [series of blogs](#), we take a closer look at the different challenges and potential solutions, AGVs in particular. In order to provide a framework for driverless automated industrial trucks, the brand new ISO 3691-4:2023 standard details the necessary requirements to guarantee operator safety.

Before embarking on a detailed study of standards relating to AGVs, AMRs and mobile handlers, we present an overview of pertinent documents for standardising mobile robot applications.

LAW		Machinery Directive 2006/42/EG	
ISO STANDARDS	Type A	EN ISO 12100* Safety of machinery-Integrated manufacturing systems-Risk assesment and risk reduction	
	Type B	EN ISO 11161* Safety of machinery-Integrated manufacturing systems-Basic requirements	EN ISO 13849* Safety of machinery-Safety related parts of control systems
	Type C	ISO 10218* Robots and robotic devices - Safety requirements for industrial robots	EN ISO 3691-4** Industrial trucks - Driverless industrial trucks and their systems
IEC STANDARDS	EN 61508 Functional safety of e/e/pe safety-related systems		EN 62061* Safety of machinery-Functional safety of safety-related e/e/pe control systems
GUIDELINE	ISO TS 15066 Robots and robotic devices - Collaborative robots		

\*Harmonized under Machinery Directive

\*\*expected to be harmonized under Machinery Directive

The Machinery Directive is at the forefront of all documents and is, therefore, the most important regulation for protecting individual safety. The key aim of the Machinery Directive is to guarantee an equivalent level of security for machines that are marketed or brought into use in all European member states, and to enable their free circulation throughout the European Union. In order of importance, we then find international ISO and IEC standards. ISO standards are classified by type, A, B and C. Type A comprises basic safety standards including general aspects and design principles; type B concerns generic safety standards covering aspects applicable to a vast range of machines, whereas type C covers safety standards detailing requirements for particular machines. Standards with an asterisk are harmonised with the Machinery Directive. This means that, by applying a harmonised standard, a developed product/application is presumed to conform to pertinent legislation. Finally, there are recommended guidelines and technical specifications (TS) that reflect the technological state of the art in the field; however, they are not mandatory.

Nota : EN ISO3691-4 is harmonized under Machinery Directive since 2024

## Standards for wheeled mobile robots

Regulations pertaining to the use of AGVs is clearly governed by the Machinery Directive 2006/42/CE, at national and European level. It obliges machine or facility manufacturers to conduct risk assessment (as per the EN ISO 12100:2010 standard) and, if necessary, to take measures aimed at reducing risks for operators.

Over and above the directive on machinery, national and international standards also apply. Up to recently, the EN 1525:1997 (Safety of industrial trucks - Driverless trucks and their systems) standard was the leading one regarding AGVs. The problem with this standard was that it no longer matched current technologies in the field (published in 1997) and was not harmonised in line with the Machinery Directive. The most applicable standard to replace EN 1525 with regard to AGVs is currently the ISO 3691-4:2023 standard 'Industrial trucks - Safety requirements and verification' - Part 4: Driverless industrial trucks and their systems. According to ISO 3691, a driverless industrial truck is 'a powered truck, (including guided carts), which is designed to operate automatically, and the operating safety of which does not depend on an operator'. Remotely controlled trucks are not considered to be driverless trucks. Examples of driverless trucks (as defined in ISO 5053-1: 2020) can also be described as 'automated guided vehicles', 'autonomous mobile robots', 'bots', 'automated guided carts', etc.

The ISO 3691 series covers basic safety requirements for industrial trucks. Part 4 specifies these requirements as a type C standard, as per EN ISO 12100, for driverless industrial trucks, and is perfectly in line with the ISO 13849 standard. The ISO 3691-4 standard has been harmonised with the Machinery Directive 2006/42 in may 2024, hence setting forth minimum requirements for AGVs.

The ISO 3691-4 standard describes key aspects for a safe AGV: - environment within which it is used (i.e. the definition of the different zones where the vehicle operates and interacts with humans), - associated risks and dangers, and - the correct implementation of safety systems



In the Machinery Directive (2006/42/CE), the AGV is a quasi-machine: a unit that is almost a machine, but that cannot conduct a defined application alone.

A user may presume that an AGV with CE marking is safe and satisfies all pertinent standards, since it was designed and manufactured as per the Machinery Directive (MD). This means that, if the AGV is used as described in the manual and that an accident occurs, the manufacturer, rather than the client, can be held responsible for the said accident. The declaration of incorporation delivered for each AGV must specify to which AGV directives and standards it conforms.

Declaration of incorporation

Concerned partly completed machinery

List of the essential health and safety requirements applied and fulfilled

List of the harmonized standards or other technical specifications applied and fulfilled

**EU DECLARATION OF INCORPORATION**  
according to CE Directive 2006/42/EC - Annex 2 1.3

We, **Omron Adept Technologies, Inc.**, with Corporate Headquarters at 4750 Stevens Canyon Road, Suite 190, San Ramon, CA 94583, USA, and Dr. Klaus Ehgart, authorized European Technical Center at Rueschweg 5, 44179 Dortmund, Germany, hereby declare that the partly completed machinery comprised of the following assemblies:

Equipment	Description	Model number
Mobile Robot	1.0 Robot	7500/7500/7500-00001
	1.0 Robot - 1.0.0	7500/7500/7500-00001
Charging Dock	1.0 Robot Dock	1247-000001
Mobile Station	1.0 Robot Dock	1208-000

(which is/are the scope of the partly completed machinery) the following essential requirements of the CE Machinery Directive 2006/42/EC:

\* 1.1.1, 1.1.2, 1.1.3, 1.1.4, 1.2, 1.3.2, 1.7.6, 1.7.7, 1.7.8, 1.7.9, 1.7.10, 1.8.10, 1.8.11, 1.8.12, 1.8.13

These products are designed and manufactured in accordance with the following European and Harmonized Standards (from 2006-2007):

EN Description	Description
EN ISO 10218-1	Machinery - Directives
EN ISO 10218-2	Safe Distances
EN ISO 12100	Risk Assessment
EN ISO 12101	Safety of Machinery - General Principles for Design - Risk Assessment and Reduction
EN ISO 12102	Safety of Machinery - Design for Safety - Risk Assessment and Reduction
EN ISO 12103-1	Safety of Machinery - Safety Related Parts of Control Systems (SRPS) - Part 1
EN ISO 12103-2	Safety of Machinery - Control Systems (SRPS) - Part 2
EN ISO 12103-3	Safety of Machinery - Control Systems (SRPS) - Part 3
EN ISO 12103-4	EN ISO 12103-4: Safety of Machinery - Control Systems (SRPS) - Part 4
EN ISO 12103-5	EN ISO 12103-5: Safety of Machinery - Control Systems (SRPS) - Part 5
EN ISO 12103-6	EN ISO 12103-6: Safety of Machinery - Control Systems (SRPS) - Part 6
EN ISO 12103-7	EN ISO 12103-7: Safety of Machinery - Control Systems (SRPS) - Part 7
EN ISO 12103-8	EN ISO 12103-8: Safety of Machinery - Control Systems (SRPS) - Part 8
EN ISO 12103-9	EN ISO 12103-9: Safety of Machinery - Control Systems (SRPS) - Part 9
EN ISO 12103-10	EN ISO 12103-10: Safety of Machinery - Control Systems (SRPS) - Part 10
EN ISO 12103-11	EN ISO 12103-11: Safety of Machinery - Control Systems (SRPS) - Part 11
EN ISO 12103-12	EN ISO 12103-12: Safety of Machinery - Control Systems (SRPS) - Part 12
EN ISO 12103-13	EN ISO 12103-13: Safety of Machinery - Control Systems (SRPS) - Part 13
EN ISO 12103-14	EN ISO 12103-14: Safety of Machinery - Control Systems (SRPS) - Part 14
EN ISO 12103-15	EN ISO 12103-15: Safety of Machinery - Control Systems (SRPS) - Part 15
EN ISO 12103-16	EN ISO 12103-16: Safety of Machinery - Control Systems (SRPS) - Part 16
EN ISO 12103-17	EN ISO 12103-17: Safety of Machinery - Control Systems (SRPS) - Part 17
EN ISO 12103-18	EN ISO 12103-18: Safety of Machinery - Control Systems (SRPS) - Part 18
EN ISO 12103-19	EN ISO 12103-19: Safety of Machinery - Control Systems (SRPS) - Part 19
EN ISO 12103-20	EN ISO 12103-20: Safety of Machinery - Control Systems (SRPS) - Part 20
EN ISO 12103-21	EN ISO 12103-21: Safety of Machinery - Control Systems (SRPS) - Part 21
EN ISO 12103-22	EN ISO 12103-22: Safety of Machinery - Control Systems (SRPS) - Part 22
EN ISO 12103-23	EN ISO 12103-23: Safety of Machinery - Control Systems (SRPS) - Part 23
EN ISO 12103-24	EN ISO 12103-24: Safety of Machinery - Control Systems (SRPS) - Part 24
EN ISO 12103-25	EN ISO 12103-25: Safety of Machinery - Control Systems (SRPS) - Part 25
EN ISO 12103-26	EN ISO 12103-26: Safety of Machinery - Control Systems (SRPS) - Part 26
EN ISO 12103-27	EN ISO 12103-27: Safety of Machinery - Control Systems (SRPS) - Part 27
EN ISO 12103-28	EN ISO 12103-28: Safety of Machinery - Control Systems (SRPS) - Part 28
EN ISO 12103-29	EN ISO 12103-29: Safety of Machinery - Control Systems (SRPS) - Part 29
EN ISO 12103-30	EN ISO 12103-30: Safety of Machinery - Control Systems (SRPS) - Part 30
EN ISO 12103-31	EN ISO 12103-31: Safety of Machinery - Control Systems (SRPS) - Part 31
EN ISO 12103-32	EN ISO 12103-32: Safety of Machinery - Control Systems (SRPS) - Part 32
EN ISO 12103-33	EN ISO 12103-33: Safety of Machinery - Control Systems (SRPS) - Part 33
EN ISO 12103-34	EN ISO 12103-34: Safety of Machinery - Control Systems (SRPS) - Part 34
EN ISO 12103-35	EN ISO 12103-35: Safety of Machinery - Control Systems (SRPS) - Part 35
EN ISO 12103-36	EN ISO 12103-36: Safety of Machinery - Control Systems (SRPS) - Part 36
EN ISO 12103-37	EN ISO 12103-37: Safety of Machinery - Control Systems (SRPS) - Part 37
EN ISO 12103-38	EN ISO 12103-38: Safety of Machinery - Control Systems (SRPS) - Part 38
EN ISO 12103-39	EN ISO 12103-39: Safety of Machinery - Control Systems (SRPS) - Part 39
EN ISO 12103-40	EN ISO 12103-40: Safety of Machinery - Control Systems (SRPS) - Part 40
EN ISO 12103-41	EN ISO 12103-41: Safety of Machinery - Control Systems (SRPS) - Part 41
EN ISO 12103-42	EN ISO 12103-42: Safety of Machinery - Control Systems (SRPS) - Part 42
EN ISO 12103-43	EN ISO 12103-43: Safety of Machinery - Control Systems (SRPS) - Part 43
EN ISO 12103-44	EN ISO 12103-44: Safety of Machinery - Control Systems (SRPS) - Part 44
EN ISO 12103-45	EN ISO 12103-45: Safety of Machinery - Control Systems (SRPS) - Part 45
EN ISO 12103-46	EN ISO 12103-46: Safety of Machinery - Control Systems (SRPS) - Part 46
EN ISO 12103-47	EN ISO 12103-47: Safety of Machinery - Control Systems (SRPS) - Part 47
EN ISO 12103-48	EN ISO 12103-48: Safety of Machinery - Control Systems (SRPS) - Part 48
EN ISO 12103-49	EN ISO 12103-49: Safety of Machinery - Control Systems (SRPS) - Part 49
EN ISO 12103-50	EN ISO 12103-50: Safety of Machinery - Control Systems (SRPS) - Part 50
EN ISO 12103-51	EN ISO 12103-51: Safety of Machinery - Control Systems (SRPS) - Part 51
EN ISO 12103-52	EN ISO 12103-52: Safety of Machinery - Control Systems (SRPS) - Part 52
EN ISO 12103-53	EN ISO 12103-53: Safety of Machinery - Control Systems (SRPS) - Part 53
EN ISO 12103-54	EN ISO 12103-54: Safety of Machinery - Control Systems (SRPS) - Part 54
EN ISO 12103-55	EN ISO 12103-55: Safety of Machinery - Control Systems (SRPS) - Part 55
EN ISO 12103-56	EN ISO 12103-56: Safety of Machinery - Control Systems (SRPS) - Part 56
EN ISO 12103-57	EN ISO 12103-57: Safety of Machinery - Control Systems (SRPS) - Part 57
EN ISO 12103-58	EN ISO 12103-58: Safety of Machinery - Control Systems (SRPS) - Part 58
EN ISO 12103-59	EN ISO 12103-59: Safety of Machinery - Control Systems (SRPS) - Part 59
EN ISO 12103-60	EN ISO 12103-60: Safety of Machinery - Control Systems (SRPS) - Part 60
EN ISO 12103-61	EN ISO 12103-61: Safety of Machinery - Control Systems (SRPS) - Part 61
EN ISO 12103-62	EN ISO 12103-62: Safety of Machinery - Control Systems (SRPS) - Part 62
EN ISO 12103-63	EN ISO 12103-63: Safety of Machinery - Control Systems (SRPS) - Part 63
EN ISO 12103-64	EN ISO 12103-64: Safety of Machinery - Control Systems (SRPS) - Part 64
EN ISO 12103-65	EN ISO 12103-65: Safety of Machinery - Control Systems (SRPS) - Part 65
EN ISO 12103-66	EN ISO 12103-66: Safety of Machinery - Control Systems (SRPS) - Part 66
EN ISO 12103-67	EN ISO 12103-67: Safety of Machinery - Control Systems (SRPS) - Part 67
EN ISO 12103-68	EN ISO 12103-68: Safety of Machinery - Control Systems (SRPS) - Part 68
EN ISO 12103-69	EN ISO 12103-69: Safety of Machinery - Control Systems (SRPS) - Part 69
EN ISO 12103-70	EN ISO 12103-70: Safety of Machinery - Control Systems (SRPS) - Part 70
EN ISO 12103-71	EN ISO 12103-71: Safety of Machinery - Control Systems (SRPS) - Part 71
EN ISO 12103-72	EN ISO 12103-72: Safety of Machinery - Control Systems (SRPS) - Part 72
EN ISO 12103-73	EN ISO 12103-73: Safety of Machinery - Control Systems (SRPS) - Part 73
EN ISO 12103-74	EN ISO 12103-74: Safety of Machinery - Control Systems (SRPS) - Part 74
EN ISO 12103-75	EN ISO 12103-75: Safety of Machinery - Control Systems (SRPS) - Part 75
EN ISO 12103-76	EN ISO 12103-76: Safety of Machinery - Control Systems (SRPS) - Part 76
EN ISO 12103-77	EN ISO 12103-77: Safety of Machinery - Control Systems (SRPS) - Part 77
EN ISO 12103-78	EN ISO 12103-78: Safety of Machinery - Control Systems (SRPS) - Part 78
EN ISO 12103-79	EN ISO 12103-79: Safety of Machinery - Control Systems (SRPS) - Part 79
EN ISO 12103-80	EN ISO 12103-80: Safety of Machinery - Control Systems (SRPS) - Part 80
EN ISO 12103-81	EN ISO 12103-81: Safety of Machinery - Control Systems (SRPS) - Part 81
EN ISO 12103-82	EN ISO 12103-82: Safety of Machinery - Control Systems (SRPS) - Part 82
EN ISO 12103-83	EN ISO 12103-83: Safety of Machinery - Control Systems (SRPS) - Part 83
EN ISO 12103-84	EN ISO 12103-84: Safety of Machinery - Control Systems (SRPS) - Part 84
EN ISO 12103-85	EN ISO 12103-85: Safety of Machinery - Control Systems (SRPS) - Part 85
EN ISO 12103-86	EN ISO 12103-86: Safety of Machinery - Control Systems (SRPS) - Part 86
EN ISO 12103-87	EN ISO 12103-87: Safety of Machinery - Control Systems (SRPS) - Part 87
EN ISO 12103-88	EN ISO 12103-88: Safety of Machinery - Control Systems (SRPS) - Part 88
EN ISO 12103-89	EN ISO 12103-89: Safety of Machinery - Control Systems (SRPS) - Part 89
EN ISO 12103-90	EN ISO 12103-90: Safety of Machinery - Control Systems (SRPS) - Part 90
EN ISO 12103-91	EN ISO 12103-91: Safety of Machinery - Control Systems (SRPS) - Part 91
EN ISO 12103-92	EN ISO 12103-92: Safety of Machinery - Control Systems (SRPS) - Part 92
EN ISO 12103-93	EN ISO 12103-93: Safety of Machinery - Control Systems (SRPS) - Part 93
EN ISO 12103-94	EN ISO 12103-94: Safety of Machinery - Control Systems (SRPS) - Part 94
EN ISO 12103-95	EN ISO 12103-95: Safety of Machinery - Control Systems (SRPS) - Part 95
EN ISO 12103-96	EN ISO 12103-96: Safety of Machinery - Control Systems (SRPS) - Part 96
EN ISO 12103-97	EN ISO 12103-97: Safety of Machinery - Control Systems (SRPS) - Part 97
EN ISO 12103-98	EN ISO 12103-98: Safety of Machinery - Control Systems (SRPS) - Part 98
EN ISO 12103-99	EN ISO 12103-99: Safety of Machinery - Control Systems (SRPS) - Part 99
EN ISO 12103-100	EN ISO 12103-100: Safety of Machinery - Control Systems (SRPS) - Part 100

We (European joint design, assembly, test, and support teams) are all steel element and classified as category 1, 2, or 3 of per EN ISO 13849-1. The protected duration (operational or speech) above 200 mm/s is classified as category 1, 2, or 3 of per EN ISO 13849-1.

The approved ENEC also is compliant to IEC 61508-1:1 as state controlled machine with  $S_{PL} = 1 \times 10^{-6}$ .

The relevant technical documentation has been compiled in accordance with Annex VII, Part B of the CE Machinery Directive 2006/42/EC. We undertake, as required in a reasoned request by the national authorities, to supply it in electronic form to the market surveillance authorities within a reasonable period.

The technical data files for these products have been compiled by Dr. Klaus Ehgart, Omron Adept Technologies GmbH, Rueschweg 5, 44179 Dortmund, Germany.

We also hereby declare that the partly completed machinery described above is intended to be incorporated into other machinery and used with the parts service unit for that machinery with which it is to be incorporated has been declared in conformity with the provisions of CE Machinery Directive 2006/42/EC, where appropriate.

Place: San Ramon, California, USA      Signature:   
Date: February 24, 2017      Full Name: Klaus Ehgart  
Position: Chief Technical Officer

Over and above the design and manufacturing of a safe AGV, the manufacturer must also supply adequate documentation, in particular instructions for bringing the AGV into service within a system of mobile robots, instructions for use and operation and maintenance of the AGV, and a list of identified residual risks for the AGV.

It should be noted that CE marking only covers the AGV itself, and not the AGV system as a whole. When the mobile robot is ready to be installed, the responsibility of the safe work site is incumbent upon whoever integrates the AGV system. This can be a final user if the latter personally integrates the mobile robot.

The person integrating the AGV must ensure complete installation (top integrated on the mobile platform, loaders, etc.) and that all risks are dealt with or identified, whilst providing adequate information on operation. This includes measurement of security distances, the preparation of training plans for employees, marking of AGV itineraries, etc. Should the mobile robot be brought into service outside the scope of the AGV manufacturer's limits, the integrator (or final user) must integrate further protection to guarantee that safety standards are abided by for the application as a whole. The integrator must therefore specify the intended use and limits of the AGV system, and conduct risk assessment for the AGV system, taking into account the specifications, intended use and limits of the employed AGV.

When the application passes from an AGV to an AGV system, the integrator must apply CE marking (declaration of conformity) on the AGV system, based on the new intended use, and must supply documentation that includes instructions for use and operation and the maintenance required for the AGV system, together with a list of identified residual risks, based on the risk assessment conducted for the AGV system.

In most cases, neither clients nor integrators appear to be aware of this - and this is consequently not done. The recent ISO 3691-4 safety standard clearly specifies integrator responsibilities. This point has often been neglected because it was 'hidden' in an appendix of the EN 1525 safety standard.

Once the AGV system has been deployed, the final user becomes responsible for the implementation and abidance by operating and maintenance procedures. The final user must ensure that the intended use and limits are respected, and must implement inspection and maintenance procedures for the AGV system, including warnings and markings. The final user must define safe operating procedures for operators and must define training needs for operators, other staff members and visitors.



tors

### *HelMo by Staubli*

For mobile manipulators, which are a combination of a mobile platform and a robotised arm, different standards should be applied, based on the status of the robotic arm:

#### *Case 1: Robotic arm inactive, when the AGV is moving*

The robotic arm can be considered as a load and risk assessment for the robotic arm + AGV combined shall be conducted as per ISO 3691-4 recommendations. The clear definition of a safe position for transporting the robot is a critical aspect. When the AGV is stationary and the robotic arm is operating, 'robot' standards must then be applied.

#### *Case 2: The robot arm is conducting assembly or processing operations whilst the AGV is moving*

All 'robot' standards are applicable to define safe application. The entire application, i.e. the mobile platform, the robot arm and the environment (routes and work zones), must therefore be evaluated in accordance with part 2 of the EN ISO 10218 standard, covering the applicative integration of industrial robots.

The EN ISO 10218-1 and -2 standards are currently under revision for they no longer reflect the state of the art of present technology. A new version of the ISO 10218-1 and ISO 10218-2 standards will be published in 2024. Not only is there no mention of collaborative robots in FDIS 10218-2 (this was not the case in ISO10218-2:2011 either), but now not even collaborative mode or collaborative operation. Collaborative is considered to be something that can only be the result of designing a collaborative application and not something of the device or the modes of the device.

## Sources

- <https://committee.iso.org/sites/tc299/home/projects/ongoing/iso-10218-1.html>
- <https://committee.iso.org/sites/tc299/home/projects/ongoing/iso-10218-2.html>
- <https://www.iso.org/obp/ui/en/#iso:std:iso:3691:-4:ed-2:v1:en>

## Authors



Véronique Dossogne