

Model-based machining in practice: find the most economical cutting speed

10 March 2023, 10:25

Peter ten Haaf

Over the years, various calculation models have been developed that allow machining processes to be analysed and even optimised. These calculation models can be run by anyone on the online platform modelgebaseerdwerken.be by means of simple forms. In a series of blog posts, we explain how you can use this platform in practice. In this second part, we will discuss how the most cost-effective cutting speed is determined.

The most economical cutting speed is the one that is the most cost-effective for a certain machine and a given set of cutting parameters. This cutting speed is determined by two important cost items: the machine and the tool. An additional difficulty is that there is a trade-off between them.

Machine cost vs. tool cost

From the point of view of machine costs, you want the highest possible cutting speed, since this maximises the chip load rate, which is the amount of material removed per minute. This, however, puts a high (thermal) load on the tool, drastically reducing its service life and increasing the tool cost. This approach therefore does not guarantee the cheapest machining process.

From a tool standpoint, you want to remove as much material as possible with the same tool over its service life. The service life can be extended by lowering the cutting speed, but this results in a higher approach does

Optimaliseer je draaiproces

Procescondities



Verkrijg inzicht in het draaiproces door een analyse van de snijkrachten en te verwachten ruheidwaarden.

[Naar model...](#)

Economisch model



Bereken de 'economische standtijd' en 'standtijd voor maximale productie' voor een draaigereedschap en bepaal van daaruit de meest geschikte snijsnelheid.

[Naar model...](#)

Dynamisch gedrag



Vermijden van trillingen tijdens een draaioperatie.

Wordt verwacht voorjaar 2023

Optimaliseer je freesproces

Frezen



Verkrijg inzicht in het freesproces door een analyse van de te verwachten snijkrachten en hun patroon.

[Naar model...](#)

Snijplaatfrezes



Verkrijg inzicht in het werken met snijplaatfrezes door een analyse van de te verwachten snijkrachten en hun patroon.

Wordt verwacht voorjaar 2023

Economisch model



Bereken de 'economische standtijd' en 'standtijd voor maximale productie' voor een vol freesgereedschap en bepaal van daaruit de meest geschikte snijsnelheid.

[Naar model...](#)

Proceskaarten



Bekijk de invloed van verschillende parameters op het verspaningsproces.

[Naar model...](#)

Dynamisch gedrag




Vermijden van trillingen tijdens een freesoperatie.

Wordt verwacht voorjaar 2023

The economic cutting speed

You can enter the data for your own tool and machine into the economic model, which is available on our platform for both turning and milling operations. The model then calculates the curves for machining, tool and total cost, which can be used to plot the curve for effective production speed and at the lowest point of the curve.



Modelgebaseerd bewerken.be

Access to the platform is free of charge, but you do need to register.

- **Step 1. Register via the Sirris portal**
 URL: <https://portal.sirris.be/modelgebaseerde-bewerken-login>

Important: The code is generated immediately and displayed on the screen. So write it down or copy it immediately.

- **Step 2. Go to the online platform**

URL: <http://www.modelgebaseerd bewerken.be/index.ph>



You will also find the necessary explanations about working with the models on the platform, but be sure to keep an eye on the Sirris diary because we will be organising both physical and online explanation sessions.

The online platform is part of the COOCK project '[Model-based machining](#)', which was launched with support from Flanders Innovation & Entrepreneurship (VLAIO).



Authors



Peter ten Haaf